


### Produktgruppe TKR

Runde glänzende Tauchkappen




#### Standardfarben

- schwarz
- weiß
- grau
- grün
- blau
- gelb
- rot

#### Material

- Weich-PVC (PVC-P), ca. 65 Shore A



- Längentoleranz +/- 2 mm

| Bestellnummer | d<br>mm | L<br>mm |
|---------------|---------|---------|
| TKR 1,5 / 8   | 1,5     | 8       |
| TKR 1,8 / 10  | 1,8     | 10      |
| TKR 2 / 10    | 2       | 10      |
| TKR 2,5 / 10  | 2,5     | 10      |
| TKR 2,8 / 10  | 2,8     | 10      |
| TKR 3 / 10    | 3       | 10      |
| TKR 3,5 / 10  | 3,5     | 10      |
| TKR 3,7 / 10  | 3,7     | 10      |
| TKR 3,8 / 10  | 3,8     | 10      |
| TKR 4 / 10    | 4       | 10      |
| TKR 4,5 / 10  | 4,5     | 10      |
| TKR 4,7 / 10  | 4,7     | 10      |
| TKR 5 / 10    | 5       | 10      |
| TKR 5,5 / 10  | 5,5     | 10      |
| TKR 6 / 15    | 6       | 15      |
| TKR 6,5 / 15  | 6,5     | 15      |
| TKR 7 / 15    | 7       | 15      |
| TKR 7,5 / 15  | 7,5     | 15      |
| TKR 8 / 15    | 8       | 15      |
| TKR 8,5 / 15  | 8,5     | 15      |
| TKR 9 / 20    | 9       | 20      |



# Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

| Bestellnummer | d    | L  |
|---------------|------|----|
|               | mm   | mm |
| TKR 9,5 / 20  | 9,5  | 20 |
| TKR 10 / 20   | 10   | 20 |
| TKR 11 / 20   | 11   | 20 |
| TKR 11,5 / 20 | 11,5 | 20 |
| TKR 12 / 20   | 12   | 20 |
| TKR 12 / 30   | 12   | 30 |
| TKR 12,5 / 20 | 12,5 | 20 |
| TKR 13 / 20   | 13   | 20 |
| TKR 13,5 / 20 | 13,5 | 20 |
| TKR 14 / 20   | 14   | 20 |
| TKR 14,5 / 20 | 14,5 | 20 |
| TKR 15 / 20   | 15   | 20 |
| TKR 15,5 / 20 | 15,5 | 20 |
| TKR 16 / 25   | 16   | 25 |
| TKR 17 / 25   | 17   | 25 |
| TKR 18 / 25   | 18   | 25 |
| TKR 19 / 25   | 19   | 25 |
| TKR 19/50     | 19   | 50 |
| TKR 20 / 25   | 20   | 25 |
| TKR 20 / 32   | 20   | 32 |
| TKR 21 / 25   | 21   | 25 |
| TKR 22 / 25   | 22   | 25 |
| TKR 23 / 25   | 23   | 25 |
| TKR 24 / 25   | 24   | 25 |
| TKR 25 / 30   | 25   | 30 |
| TKR 27 / 30   | 27   | 30 |
| TKR 28 / 30   | 28   | 30 |
| TKR 30 / 35   | 30   | 35 |
| TKR 31 / 35   | 31   | 35 |
| TKR 32 / 35   | 32   | 35 |
| TKR 33 / 35   | 33   | 35 |
| TKR 34 / 35   | 34   | 35 |
| TKR 35 / 35   | 35   | 35 |
| TKR 36 / 35   | 36   | 35 |
| TKR 36,5 / 35 | 36,5 | 35 |
| TKR 38 / 35   | 38   | 35 |
| TKR 40 / 40   | 40   | 40 |
| TKR 42 / 40   | 42   | 40 |
| TKR 43 / 40   | 43   | 40 |
| TKR 48 / 40   | 48   | 40 |
| TKR 49 / 40   | 49   | 40 |
| TKR 51 / 40   | 51   | 40 |
| TKR 55,5 / 40 | 55,5 | 40 |
| TKR 57 / 40   | 57   | 40 |
| TKR 60 / 40   | 60   | 40 |
| TKR 62 / 40   | 62   | 40 |
| TKR 64 / 40   | 64   | 40 |



# Walter Bethke GmbH & Co. KG

Technische Kunststoff - und Hybridprodukte

| Bestellnummer | d   | L  |
|---------------|-----|----|
|               | mm  | mm |
| TKR 65 / 40   | 65  | 40 |
| TKR 66 / 40   | 66  | 40 |
| TKR 68 / 40   | 68  | 40 |
| TKR 78 / 40   | 78  | 40 |
| TKR 80 / 40   | 80  | 40 |
| TKR 84 / 40   | 84  | 40 |
| TKR 85 / 40   | 85  | 40 |
| TKR 90 / 40   | 90  | 40 |
| TKR 93 / 40   | 93  | 40 |
| TKR 99 / 40   | 99  | 40 |
| TKR 100 / 40  | 100 | 40 |
| TKR 110 / 40  | 110 | 40 |
| TKR 114 / 40  | 114 | 40 |
| TKR 125 / 40  | 125 | 40 |
| TKR 130 / 40  | 130 | 40 |
| TKR 133 / 40  | 133 | 40 |
| TKR 140 / 40  | 140 | 40 |
| TKR 150 / 40  | 150 | 40 |